

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

CAMDEN

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
010586

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/10/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,035FT
		36N	14W	1		
<u>DRILL DEPTH:</u>	90FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				550,484.39	4,193,613.62
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3 MI NW OF RICHLAND			
<u>S.W.L. (AFTER CASING):</u>	55					

LOG ID:
015627

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1956/07/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,096FT
		36N	14W	11		
<u>DRILL DEPTH:</u>	120FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				550,255.45	4,190,548.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	58					

LOG ID:
023275

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/12/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,050FT
		36N	14W	11		
<u>DRILL DEPTH:</u>	390FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					550,155.44	4,190,649.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1 MI FROM RICHLAND ON HWY H			
<u>S.W.L. (AFTER CASING):</u>	156					

LOG ID:
019533

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/08/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,115FT
		36N	14W	12		
<u>DRILL DEPTH:</u>	245FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				551,262.45	4,190,524.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON HWY 7 @ JCT W/ HWY H, 0.5 MI W OF RICHLAND GARAGE			
<u>S.W.L. (AFTER CASING):</u>	140					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022082**WELL TYPE

Private Well

DRILL DATE: 1963/06/18TOWNSHIPRANGESECTIONELEVATION:

1,103FT

DRILL DEPTH: 260FT

36N

14W

12

DEPTH TO BED: 30FTUTM XUTM Y

550,462.45

4,190,524.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI W OF RICHLAND ON HWY HS.W.L. (AFTER CASING): 125**LOG ID:****015633**WELL TYPE

Private Well

DRILL DATE: 1956/07/09TOWNSHIPRANGESECTIONELEVATION:

1,110FT

DRILL DEPTH: 250FT

36N

14W

13

DEPTH TO BED: 30FTUTM XUTM Y

550,649.45

4,190,337.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 190**LOG ID:****019536**WELL TYPE

Private Well

DRILL DATE: 1960/08/05TOWNSHIPRANGESECTIONELEVATION:

1,114FT

DRILL DEPTH: 290FT

36N

14W

13

DEPTH TO BED: 30FTUTM XUTM Y

550,849.45

4,190,337.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RICHLAND 7.5 - 1 MI W OF RICHLANDS.W.L. (AFTER CASING): 210**LOG ID:****016902**WELL TYPE

Private Well

DRILL DATE: 1957/10/29TOWNSHIPRANGESECTIONELEVATION:

1,041FT

DRILL DEPTH: 190FT

36N

14W

14

DEPTH TO BED: 10FTUTM XUTM Y

550,226.46

4,189,937.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 125



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019491**WELL TYPE

Private Well

DRILL DATE: 1960/07/12TOWNSHIPRANGESECTIONELEVATION:

1,038FT

DRILL DEPTH: 220FT

36N

14W

14

DEPTH TO BED: 25FTUTM XUTM Y

549,026.45

4,190,337.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI W OF RICHLAND ON HWY HS.W.L. (AFTER CASING): 150**LOG ID:****002126**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1926//TOWNSHIPRANGESECTIONELEVATION:

1,102FT

DRILL DEPTH: 800FT

36N

14W

2

DEPTH TO BED: 23FTUTM XUTM Y

549,476.41

4,192,705.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: DEEPENED 658-800' IN 1926; STRIPPED FROM DRILLER'S LOGS.W.L. (AFTER CASING): 150**LOG ID:****013874**WELL TYPE

Private Well

DRILL DATE: 1955/08/09TOWNSHIPRANGESECTIONELEVATION:

1,102FT

DRILL DEPTH: 400FT

36N

14W

2

DEPTH TO BED: 25FTUTM XUTM Y

549,872.42

4,192,169.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 200**LOG ID:****025292**WELL TYPE

Private Well

DRILL DATE: 1967/08/03TOWNSHIPRANGESECTIONELEVATION:

1,064FT

DRILL DEPTH: 280FT

36N

14W

2

DEPTH TO BED: 10FTUTM XUTM Y

550,272.40

4,193,201.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3 MI NW OF RICHLANDS.W.L. (AFTER CASING): 190

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020314

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1961/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,052FT
<u>DRILL DEPTH:</u>	505FT	36N	14W	21		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				545,558.49	4,188,206.56
<u>S.W.L. (AFTER CASING):</u>	160				ZONE 15	
<u>REMARKS:</u> 5 MI W OF RICHLAND ON HWY H (TURKEY FARM)						

LOG ID:
017301

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958/05/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,082FT
<u>DRILL DEPTH:</u>	275FT	36N	14W	22		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				548,088.48	4,188,786.58
<u>S.W.L. (AFTER CASING):</u>	205				ZONE 15	
<u>REMARKS:</u> 4.5 MI W OF RICHLAND ON HWY H						

LOG ID:
018886

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/11/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,002FT
<u>DRILL DEPTH:</u>	85FT	36N	14W	3		
<u>DEPTH TO BED:</u>	15FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				548,252.41	4,192,604.61
<u>S.W.L. (AFTER CASING):</u>	50				ZONE 15	
<u>REMARKS:</u> 3.5 MI W OF RICHLAND ON HWY 7, 0.25 MI E OF BUELAH CHURCH						

LOG ID:
018887

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1959/11/11	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,014FT
<u>DRILL DEPTH:</u>	225FT	36N	14W	3		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				547,852.41	4,192,604.60
<u>S.W.L. (AFTER CASING):</u>	140				ZONE 15	
<u>REMARKS:</u> 4 MI W OF RICHLAND ON HWY 7, 0.25 MI W OF BEULAH CHURCH						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024080**WELL TYPE

Private Well

DRILL DATE: 1965/12/01TOWNSHIPRANGESECTIONELEVATION:

1,166FT

DRILL DEPTH: 375FT

36N

14W

31

DEPTH TO BED: 30FTUTM XUTM Y

543,032.55

4,185,478.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: STOUTLAND 7.5 - IN STOUTLANDS.W.L. (AFTER CASING): 266**LOG ID:****017972**WELL TYPE

Private Well

DRILL DATE: 1959/02/21TOWNSHIPRANGESECTIONELEVATION:

982FT

DRILL DEPTH: 130FT

36N

14W

8

DEPTH TO BED: 15FTUTM XUTM Y

544,391.44

4,190,648.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100**LOG ID:****017617**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/10/01TOWNSHIPRANGESECTIONELEVATION:

918FT

DRILL DEPTH: 932FT

36N

15W

1

DEPTH TO BED: 15FTUTM XUTM Y

541,983.39

4,193,664.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020834**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962//TOWNSHIPRANGESECTIONELEVATION:

918FT

DRILL DEPTH: 950FT

36N

15W

1

DEPTH TO BED: 500FTUTM XUTM Y

541,883.39

4,193,764.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAME WELL AS #17617S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024732**WELL TYPE

Private Well

DRILL DATE: 1966/07/16TOWNSHIPRANGESECTIONELEVATION:

1,113FT

DRILL DEPTH: 320FT

36N

15W

24

DEPTH TO BED: 15FTUTM XUTM Y

540,813.50

4,188,078.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY T 2 MI N OF STOUTLANDS.W.L. (AFTER CASING): 240**LOG ID:****007811**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:

1,013FT

DRILL DEPTH: 148FT

37N

14W

10

DEPTH TO BED:UTM XUTM Y

548,541.25

4,201,546.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 12 MI W OF CROCKER, 4-5 MI E OF TORONTO; "MADE VERY LITTLE WATER"S.W.L. (AFTER CASING):**LOG ID:****017970**WELL TYPE

Private Well

DRILL DATE: 1959/03/02TOWNSHIPRANGESECTIONELEVATION:

915FT

DRILL DEPTH: 64FT

37N

14W

24

DEPTH TO BED: 5FTUTM XUTM Y

551,537.32

4,197,835.66

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF RICHLAND ON HWY A, ABT 1.5 MI OFF OF AS.W.L. (AFTER CASING): 30**LOG ID:****019598**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

828FT

DRILL DEPTH: 910FT

37N

14W

30

DEPTH TO BED: 810FTUTM XUTM Y

543,795.35

4,195,685.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 810-910'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018479**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	869FT
<u>DRILL DEPTH:</u>	925FT	37N	14W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				542,981.37	4,194,508.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**019496**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	869FT
<u>DRILL DEPTH:</u>	945FT	37N	14W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	585FT				542,381.37	4,194,508.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SEE LOG #18479			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013861**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/07/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	988FT
<u>DRILL DEPTH:</u>	115FT	37N	14W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				544,447.38	4,194,086.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:**015843**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	892FT
<u>DRILL DEPTH:</u>	975FT	37N	14W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				544,447.36	4,195,312.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	WRONG ELEVATION; LAWRENCE BAILLIERE (MAY BE #1 BOB SELLERS)			
<u>S.W.L. (AFTER CASING):</u>	33					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021472

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/08/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	880FT
<u>DRILL DEPTH:</u>	160FT	37N	14W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				550,282.37	4,195,023.63
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> 4 MI N OF RICHLAND ON HWY A, 1 MI W OF ELM CHURCH				
<u>S.W.L. (AFTER CASING):</u>	50					

LOG ID:
012073

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1952/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	972FT
<u>DRILL DEPTH:</u>	130FT	37N	14W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				551,694.37	4,195,213.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> ON HWY 35, 2 MI N OF RICHLAND				
<u>S.W.L. (AFTER CASING):</u>	80					

LOG ID:
013996

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	908FT
<u>DRILL DEPTH:</u>	100FT	37N	14W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				551,294.38	4,194,601.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	16					

LOG ID:
000491

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	90FT	37N	14W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				544,815.25	4,201,075.65
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> DRILLER'S LOG ONLY - Log #491 is currently missing from the files				
<u>S.W.L. (AFTER CASING):</u>		and has not been scanned. If someone locates this log, please forward				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007844**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTIONELEVATION: 1,121FTDRILL DEPTH: 168FT

37N 15W 20

DEPTH TO BED: 77FTUTM X UTM Y
535,251.34 4,197,685.55
ZONE 15S.W.L. (BEFORE CASING):REMARKS: S OF MONTREAL 2-3 MI ON W SD OF RDS.W.L. (AFTER CASING):**LOG ID:****023045**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/04/21TOWNSHIP RANGE SECTIONELEVATION: 884FTDRILL DEPTH: 255FT

37N 15W 23

DEPTH TO BED: 10FTUTM X UTM Y
539,643.33 4,197,309.58
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF HWY 7 (SWEET PLACE)S.W.L. (AFTER CASING): 70**LOG ID:****023050**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/05/23TOWNSHIP RANGE SECTIONELEVATION: 985FTDRILL DEPTH: 265FT

37N 15W 23

DEPTH TO BED: 30FTUTM X UTM Y
539,643.31 4,198,139.59
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF HWY 7, N OF HATCHERYS.W.L. (AFTER CASING): 135**LOG ID:****019517**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/00/00TOWNSHIP RANGE SECTIONELEVATION: 851FTDRILL DEPTH: 957FT

37N 15W 24

DEPTH TO BED: 20FTUTM X UTM Y
540,953.32 4,197,397.59
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "MAY BE HURT WELL" - NO PRODUCTION OR CONSTRUCTION
DATA, MANY 5' SKIPSS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004766**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/05/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	900FT
<u>DRILL DEPTH:</u>	193FT	37N	15W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				541,326.35	4,196,189.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LAWRENCE BALLIERE #1; OLD WELL DEEPENED FROM 65' -			
<u>S.W.L. (AFTER CASING):</u>	45		Driller's Log Attached			

LOG ID:**004772**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1938/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	870FT
<u>DRILL DEPTH:</u>	77FT	37N	15W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				541,326.35	4,196,189.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**014775**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1956/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	859FT
<u>DRILL DEPTH:</u>	935FT	37N	15W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				541,126.35	4,195,783.58
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LAWRENCE BAILLIERE #2 STOUTLAND ("PROBABLY GARRISON			
<u>S.W.L. (AFTER CASING):</u>	30		WELL")			

LOG ID:**022578**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1964/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	844FT
<u>DRILL DEPTH:</u>	925FT	37N	15W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				541,326.34	4,196,597.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA - "ASH WELL?"			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006563**WELL TYPE

Private Well

DRILL DATE: 1940/00/00 TOWNSHIP 37N RANGE 15W SECTION 31 ELEVATION: 1,090FT
DRILL DEPTH: 152FT UTM X 533,134.38 UTM Y 4,195,326.53
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**004444**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1937/07/01 TOWNSHIP 37N RANGE 15W SECTION 32 ELEVATION: 1,090FT
DRILL DEPTH: 144FT UTM X 535,220.39 UTM Y 4,194,655.54
DEPTH TO BED: 60FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MRC TRACT #35
S.W.L. (AFTER CASING):

LOG ID:**000478**WELL TYPE

Private Well

DRILL DATE: 1906/09/25 TOWNSHIP 37N RANGE 15W SECTION 4 ELEVATION: 1,036FT
DRILL DEPTH: 25FT UTM X 536,141.25 UTM Y 4,202,304.59
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: MONTREAL
S.W.L. (AFTER CASING):

LOG ID:**007813**WELL TYPE

Private Well

DRILL DATE: 1942/00/00 TOWNSHIP 37N RANGE 15W SECTION 6 ELEVATION: 1,052FT
DRILL DEPTH: 156FT UTM X 533,477.26 UTM Y 4,202,544.57
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI W OF MONTREAL
S.W.L. (AFTER CASING): 76



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006569**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

1,034FT

DRILL DEPTH: 236FT

37N

16W

30

DEPTH TO BED: 45FTUTM XUTM Y

523,201.38

4,197,079.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002139**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1925/08/01TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH: 469FT

37N

16W

32

DEPTH TO BED: 15FTUTM XUTM Y

524,584.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: Decaturville (core) Dome - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****013517**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/05/TOWNSHIPRANGESECTIONELEVATION:

1,057FT

DRILL DEPTH: 427FT

37N

16W

32

DEPTH TO BED: 5FTUTM XUTM Y

524,584.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE #CH1 - CHURN DRILLS.W.L. (AFTER CASING):**LOG ID:****013522**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/05/TOWNSHIPRANGESECTIONELEVATION:

1,053FT

DRILL DEPTH: 400FT

37N

16W

32

DEPTH TO BED: 40FTUTM XUTM Y

524,584.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE HOLE #C-2S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013555

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/05/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,040FT
DRILL DEPTH: 440FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CHURN DRILL HOLE #CH3
S.W.L. (AFTER CASING):

LOG ID:
013926

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/06/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,048FT
DRILL DEPTH: 180FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE HOLE #CH4 - CHURN DRILL
S.W.L. (AFTER CASING):

LOG ID:
013927

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/06/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,035FT
DRILL DEPTH: 345FT UTM X 524,384.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE HOLE #5 - CHURN DRILL SAMPLES
S.W.L. (AFTER CASING):

LOG ID:
013945

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955// TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,055FT
DRILL DEPTH: 530FT UTM X 524,984.42 UTM Y 4,194,191.46
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #C2 - DECATURVILLE CORE C-2
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013951

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/10/11 TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,045FT
DRILL DEPTH: 670FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #C3 - DECATURVILLE HOLE #C-3
S.W.L. (AFTER CASING):

LOG ID:
014023

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955// TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,055FT
DRILL DEPTH: 782FT UTM X 524,984.42 UTM Y 4,194,191.46
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-4
S.W.L. (AFTER CASING):

LOG ID:
014067

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955// TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,035FT
DRILL DEPTH: 152FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SAME AS LOG #19980 - DECATURVILLE CORE #C-2
S.W.L. (AFTER CASING):

LOG ID:
014068

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/11/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,045FT
DRILL DEPTH: 270FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SAME AS LOG #19982 - DECATURVILLE CORE #C-7
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014077**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/09/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,035FT
DRILL DEPTH: 290FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SAME AS LOG #19981 - DECATURVILLE DIAMOND DRILL #C-6
S.W.L. (AFTER CASING):

LOG ID:**014079**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955// TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,050FT
DRILL DEPTH: 560FT UTM X 524,584.43 UTM Y 4,194,191.46
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE DRILL HOLE #C-8
S.W.L. (AFTER CASING):

LOG ID:**014325**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956/02/ TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,020FT
DRILL DEPTH: 430FT UTM X 525,784.41 UTM Y 4,194,809.47
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-9 - SAME AS LOG #19984
S.W.L. (AFTER CASING):

LOG ID:**014994**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956// TOWNSHIP 37N RANGE 16W SECTION 32 ELEVATION: 1,070FT
DRILL DEPTH: 525FT UTM X 525,084.41 UTM Y 4,194,911.47
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-17
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015000**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

1,070FT

DRILL DEPTH: 505FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE CORE #C-13S.W.L. (AFTER CASING):**LOG ID:****015002**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

1,070FT

DRILL DEPTH: 620FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE HOLE #C-20S.W.L. (AFTER CASING):**LOG ID:****015055**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

1,043FT

DRILL DEPTH: 900FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE HOLE #C-27S.W.L. (AFTER CASING):**LOG ID:****015056**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH: 530FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DECATURVILLE HOLE # C-26S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019977

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,055FT
		37N	16W	32		
<u>DRILL DEPTH:</u>	530FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				524,784.43	4,194,191.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DECATURVILLE CORE #C-2 - MANY SKIPPED INTERVALS - -			
<u>S.W.L. (AFTER CASING):</u>			CAUTION !!! - Log #19977 was also assigned to Bardwell Camp			

LOG ID:
019979

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,040FT
		37N	16W	32		
<u>DRILL DEPTH:</u>	782FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				524,784.43	4,194,191.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DECATURVILLE CORE #C-4 - 16, 5-FT SAMPLES DESCRIBED IN			
<u>S.W.L. (AFTER CASING):</u>			782' - - CAUTION !!! - Log #19979 was also assigned to Roach Well			

LOG ID:
019980

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,035FT
		37N	16W	32		
<u>DRILL DEPTH:</u>	152FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				524,584.43	4,194,191.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SAME AS LOG #14067 - DECATURVILLE CORE #C-5 - 5, 5-FT			
<u>S.W.L. (AFTER CASING):</u>			SAMPLES IN 152 FT DESCRIBED - - CAUTION !!! - Log #19980 was			

LOG ID:
019981

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,035FT
		37N	16W	32		
<u>DRILL DEPTH:</u>	290FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				524,584.43	4,194,191.46
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SAME AS LOG #14077 - DECATURVILLE CORE #C-6 - 7 5-FT			
<u>S.W.L. (AFTER CASING):</u>			SAMPLES DESCRIBED IN 260' - - CAUTION !!! - Log #19981 was			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019982**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,045FT

DRILL DEPTH:

270FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

20FT

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SAME AS LOG #14068 - DECATURVILLE CORE #C-7 - 6, 5-FT
SAMPLES DESCRIBED IN 270 FT - -S.W.L. (AFTER CASING):**LOG ID:****019983**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,050FT

DRILL DEPTH:

552FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

10FT

524,784.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:DECATURVILLE CORE #8 - MANY SKIPPED INTERVALS - -
CAUTION !!! -S.W.L. (AFTER CASING):**LOG ID:****019984**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH:

430FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

30FT

525,784.41

4,194,809.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:VERY INCOMPLETE LOG - DECATURVILLE HOLE #C-9 - SAME AS
LOG #14325 - - CAUTION !!! - Log #19984 was also assigned to SinnS.W.L. (AFTER CASING):**LOG ID:****019985**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,055FT

DRILL DEPTH:

576FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

30FT

524,784.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:DECATURVILLE CORE #C-10 - MANY SKIPPED INTERVALS - -
CAUTION !!! - Log #19985 was also assigned to Dicks Well #1 inS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019986

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,055FT
37N 16W 32
DRILL DEPTH: 47FT UTM X UTM Y
DEPTH TO BED: 10FT 524,784.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Well #C11 - DECATURVILLE - 2 SAMPLES LOGGED - - CAUTION !!!
S.W.L. (AFTER CASING): -

LOG ID:
019987

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,055FT
37N 16W 32
DRILL DEPTH: 610FT UTM X UTM Y
DEPTH TO BED: 15FT 524,784.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-12 - MOSTLY SKIPPED INTRTERVALS - -
S.W.L. (AFTER CASING): CAUTION !!! - Log #19987 was also assigned to Eagle Picher in Craig

LOG ID:
019988

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,030FT
37N 16W 32
DRILL DEPTH: 480FT UTM X UTM Y
DEPTH TO BED: 5FT 524,584.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-13 - - CAUTION !!! - Log #19988 was also
S.W.L. (AFTER CASING): assigned to Clyde Buckman Well #1 in Monroe County Sec. 17, T56N,

LOG ID:
019989

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,030FT
37N 16W 32
DRILL DEPTH: 340FT UTM X UTM Y
DEPTH TO BED: 10FT 524,584.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-14, 8 SAMPLES LOGGED
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019990

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,055FT
37N 16W 32
DRILL DEPTH: 790FT UTM X UTM Y
DEPTH TO BED: 524,784.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-15 - MANY SKIPPED INTERVLAS
S.W.L. (AFTER CASING):

LOG ID:
019991

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,035FT
37N 16W 32
DRILL DEPTH: 382FT UTM X UTM Y
DEPTH TO BED: 5FT 524,584.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-16 - MANY SKIPPED INTERVALS
S.W.L. (AFTER CASING):

LOG ID:
019992

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,035FT
37N 16W 32
DRILL DEPTH: 525FT UTM X UTM Y
DEPTH TO BED: 50FT 524,584.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-17 - MANY SKIPPED INTERVALS
S.W.L. (AFTER CASING):

LOG ID:
019995

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,020FT
37N 16W 32
DRILL DEPTH: 610FT UTM X UTM Y
DEPTH TO BED: 524,584.43 4,194,191.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DECATURVILLE CORE #C-20 - MOSTLY SKIPPED INTERVALS
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019997**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH:

760FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

10FT

524,584.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DECATURVILLE CORE #C-22 - MANY SKIPPED INTERVALS

S.W.L. (AFTER CASING):**LOG ID:****019999**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,070FT

DRILL DEPTH:

501FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

10FT

525,084.41

4,194,911.47

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DECATURVILLE CORE #C-20 - MOSTLY SKIPPED INTERVALS

S.W.L. (AFTER CASING):**LOG ID:****020028**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,020FT

DRILL DEPTH:

160FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

20FT

524,584.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DECATURVILLE CORE #C-56

S.W.L. (AFTER CASING):**LOG ID:****020029**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,047FT

DRILL DEPTH:

261FT

37N

16W

32

UTM XUTM YDEPTH TO BED:

10FT

524,384.43

4,194,191.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DECATURVILLE CORE #C-57 - MANY SKIPPED INTERVALS

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020030

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,047FT
<u>DRILL DEPTH:</u>	78FT	37N	16W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				524,384.43	4,194,191.46
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	DECATURVILLE CORE #C-58			

LOG ID:
027880

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,060FT
<u>DRILL DEPTH:</u>	848FT	37N	16W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				527,521.28	4,202,634.52
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			

LOG ID:
028473

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	950FT
<u>DRILL DEPTH:</u>	1,501FT	37N	16W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	595FT				524,698.29	4,202,772.50
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:
013462

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,065FT
<u>DRILL DEPTH:</u>	275FT	37N	16W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	205FT				524,340.31	4,201,291.49
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	225	<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020374**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

1,104FT

DRILL DEPTH:

345FT

37N

16W

8

DEPTH TO BED:

20FT

UTM XUTM Y

525,763.32

4,200,657.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

4 SAMPLES LOGGED 20-90'

S.W.L. (AFTER CASING):

200

LOG ID:**002649**WELL TYPE

Private Well

DRILL DATE:

1932/09/01

TOWNSHIPRANGESECTIONELEVATION:

1,065FT

DRILL DEPTH:

367FT

37N

17W

1

DEPTH TO BED:

35FT

UTM XUTM Y

522,776.30

4,202,297.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

1.5 MI E OF HAHATONKA - "#1 COOK"

S.W.L. (AFTER CASING):**LOG ID:****028554**WELL TYPE

Private Well

DRILL DATE:

1978/06/20

TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH:

447FT

37N

17W

14

DEPTH TO BED:

25FT

UTM XUTM Y

520,345.34

4,199,829.45

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

VERY POOR SAMPLES - NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):

260

LOG ID:**028602**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH:

1,211FT

37N

17W

14

DEPTH TO BED:

30FT

UTM XUTM Y

520,845.34

4,200,135.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006263**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1940/05/01TOWNSHIPRANGESECTIONELEVATION:

717FT

DRILL DEPTH: 140FT

37N

17W

19

DEPTH TO BED: 30FTUTM XUTM Y

513,253.34

4,198,721.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "LOCATION APPROXIMATE"S.W.L. (AFTER CASING):**LOG ID:****006566**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIPRANGESECTIONELEVATION:

763FT

DRILL DEPTH: 86FT

37N

17W

19

DEPTH TO BED: 18FTUTM XUTM Y

513,153.34

4,198,611.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR TUNNEL DAM ON NIANGUA RIVERS.W.L. (AFTER CASING):**LOG ID:****007788**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 287FT

37N

17W

19

DEPTH TO BED: 40FTUTM XUTM Y

513,653.34

4,198,721.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ON TOP OF HILL, STORE AT TUNNEL DAM - SECTION
QUESTIONEDS.W.L. (AFTER CASING):**LOG ID:****007758**WELL TYPE

Outcrop Description

DRILL DATE: 1942/05/08TOWNSHIPRANGESECTIONELEVATION:

860FT

DRILL DEPTH: 135FT

37N

17W

2

DEPTH TO BED:UTM XUTM Y

520,355.29

4,203,131.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: BLUFF 200' E OF HAHATONKA CASTLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012055**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	818FT
<u>DRILL DEPTH:</u>	55FT	37N	17W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				520,755.28	4,203,757.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	QUARRY CORE TEST HOLE - LEROY J. SNYDER			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028596**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,100FT
<u>DRILL DEPTH:</u>	1,602FT	37N	17W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				516,499.38	4,196,164.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028852**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1984/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	659FT
<u>DRILL DEPTH:</u>	605FT	37N	17W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					518,830.28	4,203,069.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Eminence appears too thick. This correlation may be incorrect.			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**002678**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1932/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	225FT	37N	17W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					514,434.29	4,201,830.42
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	75					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027908**WELL TYPE

Private Well

DRILL DATE: 1975/06/27TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 300FT

37N

17W

9

UTM XUTM YDEPTH TO BED:

516,953.31

4,201,094.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S ON HWY 54S.W.L. (AFTER CASING): 120**LOG ID:****028555**WELL TYPE

Private Well

DRILL DATE: 1972/05/18TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 220FT

37N

18W

28

UTM XUTM YDEPTH TO BED:

507,874.35

4,196,807.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NO SAMPLES LOGGED, TOPS ONLYS.W.L. (AFTER CASING): 80**LOG ID:****028924**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/01/TOWNSHIP RANGE SECTIONELEVATION: 940FTDRILL DEPTH: 443FT

37N

18W

3

UTM XUTM YDEPTH TO BED:

508,273.25

4,203,412.38

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028556**WELL TYPE

Private Well

DRILL DATE: 1977/02/08TOWNSHIP RANGE SECTIONELEVATION: 1,060FTDRILL DEPTH: 302FT

37N

18W

9

UTM XUTM YDEPTH TO BED:

507,008.27

4,202,245.37

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: SOME SAMPLES LOST IN SHIPMENT - (170-TD)S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015907

WELL TYPE
Private Well

DRILL DATE: 1955/06/07

TOWNSHIP RANGE SECTION

ELEVATION: 1,088FT

DRILL DEPTH: 360FT

37N 19W 34

DEPTH TO BED: 45FT

UTM X UTM Y
499,507.33 4,196,259.33
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 75

LOG ID:
027000

WELL TYPE
Community Public Well

DRILL DATE: 1970/10/29

TOWNSHIP RANGE SECTION

ELEVATION: 1,115FT

DRILL DEPTH: 905FT

37N 19W 34

DEPTH TO BED: 40FT

UTM X UTM Y
499,244.34 4,195,552.33
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ MACKS CREEK

S.W.L. (AFTER CASING):

LOG ID:
015906

WELL TYPE
Private Well

DRILL DATE: 1956/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,121FT

DRILL DEPTH: 100FT

37N 19W 35

DEPTH TO BED: 70FT

UTM X UTM Y
501,131.35 4,195,382.34
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3.25 MI E OF BRANCH

S.W.L. (AFTER CASING): 67

LOG ID:
017921

WELL TYPE
Private Well

DRILL DATE: 1959/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 848FT

DRILL DEPTH: 100FT

38N 14W 35

DEPTH TO BED: 15FT

UTM X UTM Y
550,347.22 4,203,541.70
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028506**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1962//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	730FT
<u>DRILL DEPTH:</u>	1,242FT	38N	15W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				539,953.13	4,208,649.66
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	62-W-149; CHURN DRILL TO 576'(10-FT SAMPLES), CORE TO TD			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**000472**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1906/09/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	919FT
<u>DRILL DEPTH:</u>	70FT	38N	15W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				536,950.17	4,206,491.62
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 SAMPLES; 2.25 MI N OF MONTREAL			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025369**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/04/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,020FT
<u>DRILL DEPTH:</u>	310FT	38N	15W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				536,616.22	4,203,744.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI E OF MONTREAL ON HWY A			
<u>S.W.L. (AFTER CASING):</u>	230					

LOG ID:**026586**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1970/05/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	842FT
<u>DRILL DEPTH:</u>	550FT	38N	15W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				535,340.10	4,213,026.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	McCUBBINS POINT; YIELD - 60 GPM @ 207', 100 GPM @ 295'			
<u>S.W.L. (AFTER CASING):</u>	133					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006564**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTION

38N

15W

9

ELEVATION: 879FTDRILL DEPTH: 110FTUTM X UTM YDEPTH TO BED: 15FT536,108.12 4,211,029.64
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF FREEDOM CHURCHS.W.L. (AFTER CASING): 60**LOG ID:****000226**WELL TYPE

Private Well

DRILL DATE: 1905/07/10TOWNSHIP RANGE SECTION

38N

16W

10

ELEVATION: 968FTDRILL DEPTH: 100FTUTM X UTM YDEPTH TO BED: 90FT528,037.16 4,211,078.56
ZONE 15S.W.L. (BEFORE CASING):REMARKS: TWO SAMPLES LOGGED; 4 MI SE OF DAMSEL - Driller's Log
AttachedS.W.L. (AFTER CASING):**LOG ID:****000224**WELL TYPE

Private Well

DRILL DATE: 1905/07/10TOWNSHIP RANGE SECTION

38N

16W

16

ELEVATION: 880FTDRILL DEPTH: 116FTUTM X UTM YDEPTH TO BED: 65FT527,781.17 4,210,106.55
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5 MI SE OF DAMSELS.W.L. (AFTER CASING):**LOG ID:****015981**WELL TYPE

Private Well

DRILL DATE: 1956/09/29TOWNSHIP RANGE SECTION

38N

16W

16

ELEVATION:DRILL DEPTH: 365FTUTM X UTM YDEPTH TO BED: 95FT526,981.19 4,209,088.54
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005698**WELL TYPE

Community Public Well

DRILL DATE: 1939/09/18TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 296FT

38N

16W

17

DEPTH TO BED: 35FTUTM XUTM Y

524,970.18

4,209,928.53

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 15**LOG ID:****028620**WELL TYPE

Community Public Well

DRILL DATE: 1983/00/00TOWNSHIPRANGESECTIONELEVATION:

768FT

DRILL DEPTH: 860FT

38N

16W

17

DEPTH TO BED: 5FTUTM XUTM Y

525,451.18

4,209,668.53

ZONE 15

S.W.L. (BEFORE CASING): 88 FTREMARKS:S.W.L. (AFTER CASING): 90 FT**LOG ID:****028914**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2003/10/TOWNSHIPRANGESECTIONELEVATION:

900FT

DRILL DEPTH: 500FT

38N

16W

25

DEPTH TO BED: 45FTUTM XUTM Y

531,210.20

4,206,719.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: samples from 330 to 500 feet were sampled at 10-ft intervalsS.W.L. (AFTER CASING): 45**LOG ID:****024191**WELL TYPE

Private Well

DRILL DATE: 1966/04/04TOWNSHIPRANGESECTIONELEVATION:

812FT

DRILL DEPTH: 110FT

38N

16W

3

DEPTH TO BED:UTM XUTM Y

529,253.14

4,212,276.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - 15-18 GPMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026629**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1970/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,021FT
<u>DRILL DEPTH:</u>	505FT	38N	16W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				524,784.25	4,205,155.51
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	250	<u>REMARKS:</u>	formerly in name of Virgil Eades Trailer Court			

LOG ID:**028162**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	900FT
<u>DRILL DEPTH:</u>	800FT	38N	16W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				524,942.15	4,212,431.54
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	NO SAMPLES LOGGED - TOPS ONLY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018777**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/09/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	790FT
<u>DRILL DEPTH:</u>	140FT	38N	16W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				526,526.16	4,211,204.55
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI N OF LINN CREEK JUST OFF HWY 54			
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**019602**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/01/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	840FT
<u>DRILL DEPTH:</u>	376FT	38N	17W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				522,459.20	4,209,743.50
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SUBDIVISION 3, OSAGE BEACH, LOCATION UNKNOWN, OWNER DEAD			
<u>S.W.L. (AFTER CASING):</u>	155					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026540**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1969/08/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,006FT
<u>DRILL DEPTH:</u>	600FT	38N	17W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				520,349.20	4,209,032.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Professional Nursing Homes of America			
<u>S.W.L. (AFTER CASING):</u>	165					

LOG ID:**027535**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	998FT
<u>DRILL DEPTH:</u>	285FT	38N	17W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				520,462.20	4,209,093.48
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MO STATE HIGHWAY DEPT BLDG			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**013619**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/04/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	996FT
<u>DRILL DEPTH:</u>	105FT	38N	17W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				518,866.19	4,209,726.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	3 MI N OF CAMDENTON ON HWY 5; READY-MIX CONCRETE CO			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**014093**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	990FT
<u>DRILL DEPTH:</u>	570FT	38N	17W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				518,966.19	4,209,625.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LOST TOOLS @ 360' (#1); MOVED 6' FOR #2 360-570'; YIELD - 55			
<u>S.W.L. (AFTER CASING):</u>	195		GPM @ 300			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006568

WELL TYPE
Private Well

DRILL DATE: 1940/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 671FT

DRILL DEPTH: 70FT

38N 17W 16

DEPTH TO BED: 15FT

UTM X UTM Y
517,955.20 4,209,048.47
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
007841

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 310FT

38N 17W 16

DEPTH TO BED: 40FT

UTM X UTM Y
518,155.19 4,209,452.47
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NW OF CAMDENTON ON NEONGWAH RD, 0.75 MI S, 1/8 MI W OF
HWY 5

S.W.L. (AFTER CASING):

LOG ID:
017741

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1958/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 782FT

DRILL DEPTH: 542FT

38N 17W 18

DEPTH TO BED: 30FT

UTM X UTM Y
514,082.19 4,209,274.44
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: MANY CREVICES; 2 MI ON LAKE RD 45, ROACH, MO.

S.W.L. (AFTER CASING): 130

LOG ID:
028423

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1980/07/03

TOWNSHIP RANGE SECTION

ELEVATION: 669FT

DRILL DEPTH: 500FT

38N 17W 18

DEPTH TO BED: 5FT

UTM X UTM Y
514,013.18 4,209,544.44
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "FLOWING"

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027691

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1974/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	886FT
<u>DRILL DEPTH:</u>	925FT	38N	17W	2	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				521,127.15	4,213,294.50
<u>S.W.L. (BEFORE CASING):</u>	180	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	230	FT				

REMARKS:

LOG ID:
028912

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	2002/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	565FT	38N	17W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				516,075.21	4,207,699.45
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90					

REMARKS:

LOG ID:
007780

WELL TYPE
Outcrop Description

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	80FT	38N	17W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					517,195.21	4,207,857.46
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: SAMPLE @80'TAKEN AT LAKE LEVEL BELOW GUNTER ON BULL
RUN BLUFF

LOG ID:
011645

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>	1949/12/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	502FT	38N	17W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	403FT				518,708.21	4,208,425.47
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	360					

REMARKS: OLD WELL TO 402'; 2.5 MI NW OF CAMDENTON



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028665**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1987/08/19TOWNSHIP RANGE SECTIONELEVATION: 810FTDRILL DEPTH: 725FT

38N 17W 22

DEPTH TO BED: 95FTUTM X UTM Y
519,008.22 4,207,918.47
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ABANDONED IN 1988S.W.L. (AFTER CASING):**LOG ID:****021330**WELL TYPE

Private Well

DRILL DATE: 1962/05/29TOWNSHIP RANGE SECTIONELEVATION: 979FTDRILL DEPTH: 335FT

38N 17W 23

DEPTH TO BED: 45FTUTM X UTM Y
521,316.22 4,207,580.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 175**LOG ID:****002314**WELL TYPE

Community Public Well

DRILL DATE: 1930/09/01TOWNSHIP RANGE SECTIONELEVATION: 1,038FTDRILL DEPTH: 405FT

38N 17W 25

DEPTH TO BED: 80FTUTM X UTM Y
522,471.23 4,206,942.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: OWNED BY C.E. WEBB, "FREEHOLD INVESTMENT CO." - Driller's
Log AttachedS.W.L. (AFTER CASING): 209**LOG ID:****003153**WELL TYPE

Community Public Well

DRILL DATE: 1936/04/08TOWNSHIP RANGE SECTIONELEVATION: 1,036FTDRILL DEPTH: 794FT

38N 17W 25

DEPTH TO BED: 110FTUTM X UTM Y
522,271.24 4,206,138.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: DEEPENED 480-794' IN 1936; OWNED BY C.E. WEBBS.W.L. (AFTER CASING): 220



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006264**WELL TYPE

Private Well

DRILL DATE: 1940/06/01TOWNSHIP RANGE SECTION

38N

17W

25

ELEVATION: 930FTDRILL DEPTH: 97FTDEPTH TO BED: 12FTUTM XUTM Y

521,471.24

4,206,138.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****007789**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTION

38N

17W

25

ELEVATION: 1,026FTDRILL DEPTH: 494FTDEPTH TO BED: 380FTUTM XUTM Y

522,371.24

4,206,640.49

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL DEEPENED 378-494'S.W.L. (AFTER CASING):**LOG ID:****020180**WELL TYPE

Community Public Well

DRILL DATE: 1961/08/01TOWNSHIP RANGE SECTION

38N

17W

25

ELEVATION: 1,036FTDRILL DEPTH: 1,020FTDEPTH TO BED: 70FTUTM XUTM Y

522,887.24

4,206,272.49

ZONE 15

S.W.L. (BEFORE CASING): 250 FTREMARKS: CITY OF CAMDENTONS.W.L. (AFTER CASING): 254 FT**LOG ID:****028356**WELL TYPE

Community Public Well

DRILL DATE: 1980/04/01TOWNSHIP RANGE SECTION

38N

17W

25

ELEVATION: 1,042FTDRILL DEPTH: 1,100FTDEPTH TO BED: 90FTUTM XUTM Y

522,071.23

4,206,841.49

ZONE 15

S.W.L. (BEFORE CASING): 232 FTREMARKS: VERY THICK EMINENCE DUE TO FACIES CHANGESS.W.L. (AFTER CASING): 246 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002506

WELL TYPE
Private Well

DRILL DATE: 1931/11/16

TOWNSHIP RANGE SECTION

ELEVATION: 980FT

DRILL DEPTH: 330FT

38N 17W 26

DEPTH TO BED: 55FT

UTM X UTM Y
520,572.24 4,206,275.48
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LOOKS LIKE A DRILLER'S LOG' @ CAMDENTON

S.W.L. (AFTER CASING):

LOG ID:
002602

WELL TYPE
Private Well

DRILL DATE: 1932/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 989FT

DRILL DEPTH: 200FT

38N 17W 26

DEPTH TO BED: 60FT

UTM X UTM Y
521,072.24 4,206,376.48
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "CAN'T LOCATE"

S.W.L. (AFTER CASING):

LOG ID:
027877

WELL TYPE
Community Public Well

DRILL DATE: 1974/10/18

TOWNSHIP RANGE SECTION

ELEVATION: 1,010FT

DRILL DEPTH: 1,060FT

38N 17W 26

DEPTH TO BED: 35FT

UTM X UTM Y
521,050.24 4,206,035.48
ZONE 15

S.W.L. (BEFORE CASING): 295 FT

REMARKS: POOR SAMPLES

S.W.L. (AFTER CASING): 315 FT

LOG ID:
028794

WELL TYPE
Community Public Well

DRILL DATE: 1997/08/15

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 470FT

38N 17W 28

DEPTH TO BED:

UTM X UTM Y
517,037.24 4,205,839.45
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013599**WELL TYPE

Private Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:

989FT

DRILL DEPTH: 212FT

38N

17W

31

DEPTH TO BED: 75FTUTM XUTM Y

514,445.24

4,205,143.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 52**LOG ID:****025162**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1967/09/01TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH: 550FT

38N

17W

33

DEPTH TO BED: 5FTUTM XUTM Y

517,504.26

4,204,489.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 58 GPM @ 465'S.W.L. (AFTER CASING): 78**LOG ID:****028793**WELL TYPE

Community Public Well

DRILL DATE: 1997/08/10TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 740FT

38N

17W

33

DEPTH TO BED:UTM XUTM Y

517,777.24

4,205,446.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: plugged back to 615 ft due to mud & iron problems 8/10/97S.W.L. (AFTER CASING): 204**LOG ID:****028948**WELL TYPE

Community Public Well

DRILL DATE: 2003/08/TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH: 500FT

38N

17W

34

DEPTH TO BED: 10FTUTM XUTM Y

518,211.25

4,205,410.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028949**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2003/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	700FT
<u>DRILL DEPTH:</u>	445FT	38N	17W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				518,211.25	4,205,410.46
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60	<u>REMARKS:</u>	second well - well plugged back to 420 feet (per W. Martin, driller)			

LOG ID:**027040**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	936FT
<u>DRILL DEPTH:</u>	405FT	38N	17W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				517,059.15	4,213,125.47
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025440**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	690FT
<u>DRILL DEPTH:</u>	120FT	38N	17W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				514,334.15	4,212,114.45
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	20	formerly in name of W.F. Moore				

LOG ID:**013468**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	682FT
<u>DRILL DEPTH:</u>	52FT	38N	18W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				512,774.15	4,212,013.43
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ZONE 15			
<u>S.W.L. (AFTER CASING):</u>	21	3 SAMPLES DESCRIBED				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014511

WELL TYPE
Private Well

DRILL DATE: 1956/05/01

TOWNSHIP RANGE SECTION

ELEVATION: 710FT

DRILL DEPTH: 250FT

38N

18W

2

DEPTH TO BED: 10FT

UTM X

UTM Y

510,589.14 4,212,711.42
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ROACH, MO.

S.W.L. (AFTER CASING):

LOG ID:
007786

WELL TYPE
Private Well

DRILL DATE: 1942/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 870FT

DRILL DEPTH: 93FT

38N

18W

22

DEPTH TO BED: 25FT

UTM X

UTM Y

508,574.19 4,208,481.39
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
028503

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 975FT

38N

18W

28

DEPTH TO BED: 581FT

UTM X

UTM Y

507,312.20 4,207,204.38
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 62W137

S.W.L. (AFTER CASING):

LOG ID:
028557

WELL TYPE
Private Well

DRILL DATE: 1977/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 910FT

DRILL DEPTH: 363FT

38N

18W

36

DEPTH TO BED: 45FT

UTM X

UTM Y

512,146.23 4,205,344.41
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES LOGGED, TOPS ONLY

S.W.L. (AFTER CASING): 180



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006565

WELL TYPE
Private Well

DRILL DATE: 1940/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 745FT

DRILL DEPTH: 68FT

38N 19W 14

DEPTH TO BED: 40FT

UTM X UTM Y
501,264.16 4,209,689.34
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
023692

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 744FT

DRILL DEPTH: 100FT

38N 19W 14

DEPTH TO BED:

UTM X UTM Y
501,064.15 4,209,791.34
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
028934

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2002/04/

TOWNSHIP RANGE SECTION

ELEVATION: 700FT

DRILL DEPTH: 650FT

38N 19W 3

DEPTH TO BED:

UTM X UTM Y
499,179.11 4,213,421.33
ZONE 15

S.W.L. (BEFORE CASING): 10

REMARKS: Ken Seaholm, owner

S.W.L. (AFTER CASING): FT

LOG ID:
003660

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1936/06/18

TOWNSHIP RANGE SECTION

ELEVATION: 756FT

DRILL DEPTH: 420FT

39N 15W 18

DEPTH TO BED:

UTM X UTM Y
533,392.04 4,218,679.66
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: RESETTLEMENT ADMINISTRATION - #1 PIN OAK - Driller's Log
Attached

S.W.L. (AFTER CASING): 92



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024844**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	778FT	39N	15W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				533,499.04	4,218,897.66
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u>	"MISSOURI PARK BOARD - PIN OAK #6"			

LOG ID:**002984**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1934/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	765FT
<u>DRILL DEPTH:</u>	611FT	39N	15W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				533,568.06	4,217,061.65
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140	<u>REMARKS:</u>	Driller's Log Attached			

LOG ID:**024848**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	763FT
<u>DRILL DEPTH:</u>	768FT	39N	15W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				533,732.06	4,216,980.65
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135	<u>REMARKS:</u>	STATE PARK BOARD - CAMP RISING SUN AREA #23; YIELD - 75 GPM @ 162'			

LOG ID:**003383**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1935/06/27	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	480FT	39N	15W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				534,828.04	4,218,086.67
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	188	<u>REMARKS:</u>	@ KAISER - Driller's Log Attached			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020815**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1962/04/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	776FT
<u>DRILL DEPTH:</u>	550FT	39N	15W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				534,828.06	4,216,870.66
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	RECREATION AREA @ LAKE OZARK			

LOG ID:**018768**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/11/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	405FT	39N	15W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				534,344.97	4,223,975.70
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.25 MI N OF OSAGE BEACH ON HWY 54			
<u>S.W.L. (AFTER CASING):</u>	180				ZONE 15	

LOG ID:**028411**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1980/05/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	880FT
<u>DRILL DEPTH:</u>	680FT	39N	15W	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				533,749.98	4,223,147.69
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ OSAGE BEACH; YIELDS - 65 GPM @ 300', 80 GPM @ 350', 100 GPM @ 400'			
<u>S.W.L. (AFTER CASING):</u>	225				ZONE 15	

LOG ID:**002684**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1932/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	751FT
<u>DRILL DEPTH:</u>	180FT	39N	16W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				531,620.01	4,222,054.65
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NEAR ZEBRA			
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013798**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:

752FT

DRILL DEPTH: 200FT

39N

16W

1

DEPTH TO BED: 20FTUTM XUTM Y

532,420.00

4,222,504.67

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: LONG 1 X 2.75 MI SECTION; 0.5 MI N OF OSAGE BEACHS.W.L. (AFTER CASING): 110**LOG ID:****027681**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH: 665FT

39N

16W

1

DEPTH TO BED: 15FTUTM XUTM Y

532,220.01

4,221,604.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028177**WELL TYPE

Community Public Well

DRILL DATE: 1978/02/15TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH: 900FT

39N

16W

1

DEPTH TO BED:UTM XUTM Y

531,955.01

4,221,857.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of H.W.V. Developoment - NO SAMPLES LOGGED -
TOPS ONLY NOTEDS.W.L. (AFTER CASING):**LOG ID:****028348**WELL TYPE

Community Public Well

DRILL DATE: 1980/03/20TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH: 435FT

39N

16W

1

DEPTH TO BED: 5FTUTM XUTM Y

532,819.97

4,224,306.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028580**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1983/09/01TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH: 900FT

39N

16W

1

DEPTH TO BED: 15FTUTM XUTM Y

532,119.99

4,223,180.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019322**WELL TYPE

Private Well

DRILL DATE: 1960/09/06TOWNSHIPRANGESECTIONELEVATION:

689FT

DRILL DEPTH: 440FT

39N

16W

10

DEPTH TO BED: 25FTUTM XUTM Y

528,857.04

4,220,662.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI W OF OSAGE BWEACH ON HWY 54; COULD NOT LOCATE -
SECTION QUESTIONDS.W.L. (AFTER CASING): 230**LOG ID:****028228**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH: 620FT

39N

16W

10

DEPTH TO BED: 10FTUTM XUTM Y

528,357.05

4,219,949.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL 0-485' DEEPENED - SEE LOG #28316S.W.L. (AFTER CASING):**LOG ID:****028316**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

715FT

DRILL DEPTH: 620FT

39N

16W

10

DEPTH TO BED: 10FTUTM XUTM Y

528,357.05

4,219,949.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FEW SAMPLES LOGGED (GUNTER) & EMINENCE, TOPS; OLD
WELL #28228 0-485'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028850

WELL TYPE
Community Public Well

DRILL DATE: 1984/04/01 TOWNSHIP 39N RANGE 16W SECTION 10 ELEVATION: 689FT
DRILL DEPTH: 655FT UTM X 528,857.04 UTM Y 4,220,662.62
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING): REMARKS: 12 feet of 10 inch casing
Original samples are not washed, therefore descriptions are less

LOG ID:
006856

WELL TYPE
Private Well

DRILL DATE: 1941/00/00 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 669FT
DRILL DEPTH: 75FT UTM X 530,153.03 UTM Y 4,220,553.63
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: PART OF TRACT #42, HARPERS SUBDIVISION
S.W.L. (AFTER CASING): 20

LOG ID:
006901

WELL TYPE
Private Well

DRILL DATE: 1941/05/24 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 669FT
DRILL DEPTH: 138FT UTM X 530,453.03 UTM Y 4,220,653.63
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI W OF GRAND GRAIZE BRIDGE (COULD NOT LOCATE)
S.W.L. (AFTER CASING): 60

LOG ID:
013601

WELL TYPE
Private Well

DRILL DATE: 1955/04/15 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 694FT
DRILL DEPTH: 110FT UTM X 529,753.03 UTM Y 4,221,153.63
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013612

WELL TYPE
Private Well

DRILL DATE: 1955/04/14 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 790FT
DRILL DEPTH: 192FT
DEPTH TO BED: 55FT UTM X 529,953.04 UTM Y 4,219,953.62
S.W.L. (BEFORE CASING): FT ZONE 15
S.W.L. (AFTER CASING): 117 REMARKS: 2 MI SW OF OSAGE BEACH ON HWY 54

LOG ID:
027536

WELL TYPE
Community Public Well

DRILL DATE: 1973/12/06 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 800FT
DRILL DEPTH: 1,000FT
DEPTH TO BED: 10FT UTM X 529,953.04 UTM Y 4,220,114.62
S.W.L. (BEFORE CASING): ZONE 15
S.W.L. (AFTER CASING): REMARKS: formerly in name of Harpers Subdivision - NO PRODUCTION OR CONSTRUCTION DATA

LOG ID:
028176

WELL TYPE
Private Well

DRILL DATE: 1978/03/23 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 690FT
DRILL DEPTH: 800FT
DEPTH TO BED: UTM X 530,253.03 UTM Y 4,220,453.63
S.W.L. (BEFORE CASING): ZONE 15
S.W.L. (AFTER CASING): REMARKS: NO SAMPLES RUN, NO TOPS GIVEN; LAKEWOOD SUBDIVISION

LOG ID:
028874

WELL TYPE
Community Public Well

DRILL DATE: 1971/00/00 TOWNSHIP 39N RANGE 16W SECTION 11 ELEVATION: 801FT
DRILL DEPTH: 380FT
DEPTH TO BED: 15FT UTM X 530,253.03 UTM Y 4,220,253.63
S.W.L. (BEFORE CASING): ZONE 15
S.W.L. (AFTER CASING): REMARKS: 1/4 mile West of the Grand Glaize Bridge - contact between Roubidoux Formation and Gasconade Dolomite is at depth of approximately 115



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005708**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

717FT

DRILL DEPTH:

140FT

39N

16W

12

DEPTH TO BED:UTM XUTM Y

531,459.02

4,220,840.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OSAGE BEACH

S.W.L. (AFTER CASING):

80

LOG ID:**005997**WELL TYPE

Private Well

DRILL DATE:

1940/03/22

TOWNSHIPRANGESECTIONELEVATION:

750FT

DRILL DEPTH:

97FT

39N

16W

12

DEPTH TO BED:UTM XUTM Y

532,359.03

4,220,119.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

40

LOG ID:**005999**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH:

133FT

39N

16W

12

DEPTH TO BED:

25FT

UTM XUTM Y

531,559.02

4,221,355.65

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

"CAN'T LOCATE"

S.W.L. (AFTER CASING):

93

LOG ID:**015327**WELL TYPE

Private Well

DRILL DATE:

1956/07/10

TOWNSHIPRANGESECTIONELEVATION:

774FT

DRILL DEPTH:

438FT

39N

16W

12

DEPTH TO BED:

40FT

UTM XUTM Y

532,559.02

4,220,531.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1 MI S OF OSAGE BEACH

S.W.L. (AFTER CASING):

120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016024**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/04/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	791FT
<u>DRILL DEPTH:</u>	287FT	39N	16W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				532,559.02	4,220,325.66
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140					

REMARKS:**LOG ID:****027547**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	751FT
<u>DRILL DEPTH:</u>	285FT	39N	16W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				532,259.03	4,220,016.65
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO CONSTRUCTION AND LITTLE PRODUCTION DATA**LOG ID:****024856**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	763FT
<u>DRILL DEPTH:</u>	610FT	39N	16W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				531,333.05	4,218,644.63
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	143					

REMARKS: HAWTHORNE; SEE LOG #3993**LOG ID:****028020**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	700FT
<u>DRILL DEPTH:</u>	912FT	39N	16W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				530,250.04	4,219,462.63
<u>S.W.L. (BEFORE CASING):</u>	50	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	76	FT				

REMARKS: WALTER TRUMP, OWNER - Malibu Shores Condo Association Inc



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028489**WELL TYPE

Community Public Well

DRILL DATE: 1981/04/09 TOWNSHIP 39N RANGE 16W SECTION 14 ELEVATION: 700FT
DRILL DEPTH: 690FT UTM X 530,777.04 UTM Y 4,219,810.63
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**007065**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/08/01 TOWNSHIP 39N RANGE 16W SECTION 15 ELEVATION: 783FT
DRILL DEPTH: 400FT UTM X 529,427.04 UTM Y 4,219,672.62
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: REPLACED BY NEW WELL ON SAME SITE IN 1967 (#7)
S.W.L. (AFTER CASING): 125

LOG ID:**014053**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1955/11/01 TOWNSHIP 39N RANGE 16W SECTION 15 ELEVATION: 698FT
DRILL DEPTH: 365FT UTM X 528,713.06 UTM Y 4,218,850.60
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): 34 FT REMARKS: formerly in name of Missouri Conservation Commission
S.W.L. (AFTER CASING): 24 FT

LOG ID:**024881**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1967/00/00 TOWNSHIP 39N RANGE 16W SECTION 15 ELEVATION: 784FT
DRILL DEPTH: 830FT UTM X 529,327.05 UTM Y 4,219,364.61
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: REPLACES #7065; YIELD 50 GPM @ 152'
S.W.L. (AFTER CASING): 130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025750**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	821FT
<u>DRILL DEPTH:</u>	400FT	39N	16W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				528,927.05	4,219,774.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	187	FT	<u>REMARKS:</u>	maintenance or "warehouse" shed - formerly in name of State Park		
<u>S.W.L. (AFTER CASING):</u>	165	FT		Board and Osage Beach State Park		

LOG ID:**027552**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	755FT
<u>DRILL DEPTH:</u>	290FT	39N	16W	15	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					528,827.05	4,219,058.61
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	POOR SAMPLES		
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**018961**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1960/03/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	851FT
<u>DRILL DEPTH:</u>	265FT	39N	16W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				527,928.06	4,218,971.60
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	5 MI W OF OSAGE BEACH ON HWY 54, HUNTER REAL ESTATE		
<u>S.W.L. (AFTER CASING):</u>	180			OFFICE		

LOG ID:**027351**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	888FT
<u>DRILL DEPTH:</u>	420FT	39N	16W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				527,328.07	4,218,371.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028036**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 425FT

39N

16W

16

DEPTH TO BED: 25FTUTM XUTM Y

527,728.05

4,219,773.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028118**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 1,100FT

39N

16W

16

DEPTH TO BED: 20FTUTM XUTM Y

527,730.06

4,219,082.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly known as Lake Ozark General Hospital Well #1S.W.L. (AFTER CASING):**LOG ID:****028453**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1980/10/14TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 1,065FT

39N

16W

16

DEPTH TO BED: 60FTUTM XUTM Y

527,774.06

4,219,331.60

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly known as Osage Beach Hospital Well #2 - Lake Ozark General Hospital Well #2S.W.L. (AFTER CASING):**LOG ID:****028462**WELL TYPE

Private Well

DRILL DATE: 1980/11/20TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 565FT

39N

16W

16

DEPTH TO BED:UTM XUTM Y

527,228.06

4,219,072.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027342**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/02/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	540FT	39N	16W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				525,722.06	4,219,333.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	01/17/2003 - correction made to legal description by Jim Vandike and Scott Kaden - Twn changed to 39 N (instead of 38 N) - name of well			
<u>S.W.L. (AFTER CASING):</u>	150					

LOG ID:**028849**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1981/01/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	659FT
<u>DRILL DEPTH:</u>	690FT	39N	16W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					525,638.07	4,219,108.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	original samples are unwashed, and therefore descriptions are less detailed			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028851**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1984/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	659FT
<u>DRILL DEPTH:</u>	610FT	39N	16W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				525,638.07	4,219,108.57
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**014074**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1955/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	704FT
<u>DRILL DEPTH:</u>	180FT	39N	16W	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				524,445.07	4,219,056.56
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	LAKE RD 5-F			
<u>S.W.L. (AFTER CASING):</u>	75					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008495**WELL TYPE

Private Well

DRILL DATE: 1943/00/00TOWNSHIPRANGESECTIONELEVATION:

685FT

DRILL DEPTH: 603FT

39N

16W

2

DEPTH TO BED: 400FTUTM XUTM Y

530,785.00

4,222,996.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OLD WELL O-400'; ON E LINE, 1 MI N OF S LINES.W.L. (AFTER CASING):**LOG ID:****008642**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1944/10/19TOWNSHIPRANGESECTIONELEVATION:

751FT

DRILL DEPTH: 204FT

39N

16W

20

DEPTH TO BED:UTM XUTM Y

526,313.09

4,217,179.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****009973**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/04/01TOWNSHIPRANGESECTIONELEVATION:

761FT

DRILL DEPTH: 230FT

39N

16W

20

DEPTH TO BED: 15FTUTM XUTM Y

526,313.09

4,217,280.57

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LAKE RD 24 OF US HWY 54S.W.L. (AFTER CASING):**LOG ID:****006265**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/07/01TOWNSHIPRANGESECTIONELEVATION:

705FT

DRILL DEPTH: 165FT

39N

16W

22

DEPTH TO BED:UTM XUTM Y

529,014.07

4,217,487.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003356**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/05/17TOWNSHIP RANGE SECTIONELEVATION: 770FTDRILL DEPTH: 398FT

39N 16W 24

DEPTH TO BED: 5FTUTM X UTM Y
531,520.06 4,217,892.63
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 130**LOG ID:****003501**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/11/01TOWNSHIP RANGE SECTIONELEVATION: 822FTDRILL DEPTH: 555FT

39N 16W 24

DEPTH TO BED: 10FTUTM X UTM Y
532,220.05 4,217,993.64
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: NEAR PASSOVER, 0.25 MI W OF LAKE - Driller's Log AttachedS.W.L. (AFTER CASING): 180**LOG ID:****018769**WELL TYPE

Private Well

DRILL DATE: 1959/10/01TOWNSHIP RANGE SECTIONELEVATION: 756FTDRILL DEPTH: 223FT

39N 16W 28

DEPTH TO BED: 35FTUTM X UTM Y
526,465.10 4,216,536.57
ZONE 15S.W.L. (BEFORE CASING):REMARKS: TAHOE SUBDIVISIONS.W.L. (AFTER CASING):**LOG ID:****027341**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1973/03/14TOWNSHIP RANGE SECTIONELEVATION: 700FTDRILL DEPTH: 400FT

39N 16W 29

DEPTH TO BED:UTM X UTM Y
525,364.11 4,215,724.55
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "FLOWS INTERMITTENTLY"; GLEN WHITMAN, OWNERS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027348

WELL TYPE
Private Well

DRILL DATE: 1973/03/01 TOWNSHIP 39N RANGE 16W SECTION 29 ELEVATION: 724FT
DRILL DEPTH: 140FT UTM X 526,075.10 UTM Y 4,216,570.57
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 5

LOG ID:
028901

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2003/03/ TOWNSHIP 39N RANGE 16W SECTION 29 ELEVATION: 690FT
DRILL DEPTH: 690FT UTM X 525,575.11 UTM Y 4,215,859.56
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
027499

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP 39N RANGE 16W SECTION 30 ELEVATION: 720FT
DRILL DEPTH: 605FT UTM X 523,348.11 UTM Y 4,216,522.54
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): 200 REMARKS: JAMES BATES, OWNER; 5 MI E ON HWY 54 FROM CAMDENTON,
S.W.L. (AFTER CASING): FT ON HWY Y 3-4 MI

LOG ID:
028913

WELL TYPE
Noncommunity Public Well

DRILL DATE: 2003/03/ TOWNSHIP 39N RANGE 16W SECTION 33 ELEVATION: 892FT
DRILL DEPTH: 410FT UTM X 526,920.12 UTM Y 4,214,416.57
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016370

WELL TYPE
Private Well

DRILL DATE: 1957/06/01 TOWNSHIP 39N RANGE 16W SECTION 4 ELEVATION: 657FT
DRILL DEPTH: 100FT UTM X 527,420.03 UTM Y 4,221,737.60
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Bennie's Resort - LONG 1 X 1.75 MI SECTION
S.W.L. (AFTER CASING): 25

LOG ID:
019312

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1960/04/15 TOWNSHIP 39N RANGE 16W SECTION 4 ELEVATION: 690FT
DRILL DEPTH: 325FT UTM X 527,030.03 UTM Y 4,221,785.60
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Williams Brothers - LONG 1 X 2.2 MI SECTION;
S.W.L. (AFTER CASING): 65 ABT 4 MI NW OF HWY 54 ON LK RD 22A

LOG ID:
027470

WELL TYPE
Private Well

DRILL DATE: 1973/10/29 TOWNSHIP 39N RANGE 16W SECTION 5 ELEVATION: 666FT
DRILL DEPTH: 263FT UTM X 525,757.02 UTM Y 4,223,302.59
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 10

LOG ID:
028853

WELL TYPE
Community Public Well

DRILL DATE: 1983/03/01 TOWNSHIP 39N RANGE 16W SECTION 6 ELEVATION: 712FT
DRILL DEPTH: 340FT UTM X 523,861.03 UTM Y 4,222,515.56
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026265**WELL TYPE

Community Public Well

DRILL DATE: 1969/07/02TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 858FT

39N

16W

7

UTM XUTM YDEPTH TO BED:

524,402.05

4,221,015.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:formerly in name of TanTarA Well #2 - this well serves the golf course -
5 MI SW OF OSAGE BEACHS.W.L. (AFTER CASING): 160**LOG ID:****027403**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

782FT

DRILL DEPTH: 530FT

39N

16W

7

UTM XUTM YDEPTH TO BED: 30FT

523,917.05

4,221,030.56

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

BIRCHWOOD ESTATES

S.W.L. (AFTER CASING):**LOG ID:****025016**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 853FT

39N

16W

8

UTM XUTM YDEPTH TO BED: 5FT

526,173.05

4,220,013.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:formerly in name of TanTarA Resort Well #1 - now in name of KK Water
Supply - this well located near entranceS.W.L. (AFTER CASING):**LOG ID:****028252**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

783FT

DRILL DEPTH: 955FT

39N

16W

8

UTM XUTM YDEPTH TO BED: 25FT

526,140.05

4,220,171.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

formerly in name of TanTarA Well #3 - irrigation well -

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016830**WELL TYPE

Private Well

DRILL DATE: 1957/04/23TOWNSHIP RANGE SECTIONELEVATION: 725FTDRILL DEPTH: 770FT

39N

16W

9

DEPTH TO BED:UTM X UTM Y
527,761.05 4,219,997.60
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: LAKE ROAD 22A, 0.5 MI FROM HWY 54S.W.L. (AFTER CASING): 40**LOG ID:****018955**WELL TYPE

Private Well

DRILL DATE: 1960/02/01TOWNSHIP RANGE SECTIONELEVATION: 725FTDRILL DEPTH: 210FT

39N

16W

9

DEPTH TO BED: 30FTUTM X UTM Y
527,161.04 4,220,997.60
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 7 MI W OF OSAGE BEACH ON HWY 54, N 0.5 MI ON TAHOC LAKE RDS.W.L. (AFTER CASING): 110**LOG ID:****023622**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1965/06/10TOWNSHIP RANGE SECTIONELEVATION: 713FTDRILL DEPTH: 315FT

39N

16W

9

DEPTH TO BED: 45FTUTM X UTM Y
527,561.04 4,220,397.60
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028150**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1978/09/27TOWNSHIP RANGE SECTIONELEVATION: 720FTDRILL DEPTH: 685FT

39N

16W

9

DEPTH TO BED: 5FTUTM X UTM Y
526,561.04 4,220,997.59
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002647**WELL TYPE

Private Well

DRILL DATE: 1932/09/04TOWNSHIPRANGESECTIONELEVATION:

680FT

DRILL DEPTH: 75FT

39N

17W

13

DEPTH TO BED: 20FTUTM XUTM Y

522,542.08

4,219,257.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002803**WELL TYPE

Private Well

DRILL DATE: 1934/01/22TOWNSHIPRANGESECTIONELEVATION:

729FT

DRILL DEPTH: 122FT

39N

17W

13

DEPTH TO BED: 10FTUTM XUTM Y

522,842.08

4,218,952.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****027405**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

879FT

DRILL DEPTH: 705FT

39N

17W

16

DEPTH TO BED: 35FTUTM XUTM Y

517,108.08

4,218,558.49

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 260**LOG ID:****002646**WELL TYPE

Private Well

DRILL DATE: 1932/09/01TOWNSHIPRANGESECTIONELEVATION:

676FT

DRILL DEPTH: 80FT

39N

17W

2

DEPTH TO BED:UTM XUTM Y

520,536.01

4,224,611.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020381**WELL TYPE

Private Well

DRILL DATE:		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	692FT
DRILL DEPTH:	400FT	39N	17W	23		
DEPTH TO BED:	15FT				<u>UTM X</u>	<u>UTM Y</u>
S.W.L. (BEFORE CASING):	FT				520,972.10	4,217,573.52
S.W.L. (AFTER CASING):	40				ZONE 15	
<u>REMARKS:</u> YIELD -"TOO STRONG TO TEST"; "CAN'T LOCATE"						

LOG ID:**002650**WELL TYPE

Noncommunity Public Well

DRILL DATE:	1932/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	676FT
DRILL DEPTH:	153FT	39N	17W	26		
DEPTH TO BED:	20FT				<u>UTM X</u>	<u>UTM Y</u>
S.W.L. (BEFORE CASING):					521,015.11	4,216,471.51
S.W.L. (AFTER CASING):					ZONE 15	
<u>REMARKS:</u> ISLAND VIEW						

LOG ID:**020883**WELL TYPE

Private Well

DRILL DATE:	1962/04/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	659FT
DRILL DEPTH:	170FT	39N	17W	27		
DEPTH TO BED:	15FT				<u>UTM X</u>	<u>UTM Y</u>
S.W.L. (BEFORE CASING):	FT				518,799.12	4,215,298.49
S.W.L. (AFTER CASING):	80				ZONE 15	
<u>REMARKS:</u> "CAN'T LOCATE"; 2 MI E OF HWY 5						

LOG ID:**027978**WELL TYPE

Community Public Well

DRILL DATE:	1976/04/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	787FT
DRILL DEPTH:	605FT	39N	17W	27		
DEPTH TO BED:	40FT				<u>UTM X</u>	<u>UTM Y</u>
S.W.L. (BEFORE CASING):	FT				518,554.11	4,216,399.49
S.W.L. (AFTER CASING):	145				ZONE 15	
<u>REMARKS:</u> COULD NOT DIFFERENTIATE BETWEEN "UPPER" & "LOWER" GASCONADE						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027163**WELL TYPE

Community Public Well

DRILL DATE: 1972/08/04TOWNSHIP RANGE SECTIONELEVATION: 838FTDRILL DEPTH: 602FT

39N 17W 28

DEPTH TO BED: 10FTUTM X UTM Y
518,467.11 4,215,988.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES "SCANNED"S.W.L. (AFTER CASING): 175**LOG ID:****020884**WELL TYPE

Private Well

DRILL DATE: 1962/05/04TOWNSHIP RANGE SECTIONELEVATION: 915FTDRILL DEPTH: 206FT

39N 17W 3

DEPTH TO BED: 45FTUTM X UTM Y
519,896.03 4,222,778.52
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Melvin F. Hourchild - LONG 1 X 2.3 MI SECTION;
ON HWY 5 @ TRADE WIND, KAKE RD F, SUNR BEACHS.W.L. (AFTER CASING): 150**LOG ID:****015834**WELL TYPE

Private Well

DRILL DATE: 1955/04/29TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 100FT

39N 17W 34

DEPTH TO BED: 20FTUTM X UTM Y
518,944.13 4,215,007.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: @ Bear Paw SubdivisionS.W.L. (AFTER CASING):**LOG ID:****028915**WELL TYPE

Community Public Well

DRILL DATE: 2003/07/TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 800FT

39N 17W 34

DEPTH TO BED: 15FTUTM X UTM Y
519,844.13 4,214,601.50
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: samples missing from 205 to 220 feet and 445 to 455 feetS.W.L. (AFTER CASING): 120



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028916**WELL TYPE

Community Public Well

DRILL DATE: 2004/04/ TOWNSHIP 39N RANGE 17W SECTION 34 ELEVATION: 774FT
DRILL DEPTH: 420FT UTM X 519,944.14 UTM Y 4,214,499.50
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: well abandoned and plugged due to mud problem (WIMS #312195) -
S.W.L. (AFTER CASING): 140 formation collapsed at 350 ft - unagle to set casing

LOG ID:**002735**WELL TYPE

Private Well

DRILL DATE: 1933/06/01 TOWNSHIP 39N RANGE 17W SECTION 35 ELEVATION: 742FT
DRILL DEPTH: 280FT UTM X 521,159.13 UTM Y 4,214,861.51
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR LOVER'S LEAP ON LAKE OF OZARKS
S.W.L. (AFTER CASING):

LOG ID:**028928**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/02/ TOWNSHIP 39N RANGE 17W SECTION 35 ELEVATION: 675FT
DRILL DEPTH: 360FT UTM X 520,859.14 UTM Y 4,214,355.51
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**027324**WELL TYPE

Private Well

DRILL DATE: 1972/12/01 TOWNSHIP 39N RANGE 17W SECTION 4 ELEVATION: 678FT
DRILL DEPTH: 175FT UTM X 518,081.00 UTM Y 4,225,186.51
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LONG 1 X 2.3 MI SECTION
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
014075

WELL TYPE
Private Well

DRILL DATE: 1955/00/00 TOWNSHIP 39N RANGE 17W SECTION 5 ELEVATION: 676FT
DRILL DEPTH: 89FT UTM X 516,465.00 UTM Y 4,224,766.50
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2.4 MI SECTION; PURVIS BEACH LOT # 3
S.W.L. (AFTER CASING): 15

LOG ID:
014076

WELL TYPE
Private Well

DRILL DATE: 1955/00/00 TOWNSHIP 39N RANGE 17W SECTION 5 ELEVATION: 682FT
DRILL DEPTH: 80FT UTM X 516,465.00 UTM Y 4,224,766.50
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2.4 MI SECTION
S.W.L. (AFTER CASING): 22

LOG ID:
021142

WELL TYPE
Private Well

DRILL DATE: 1962/07/24 TOWNSHIP 39N RANGE 17W SECTION 5 ELEVATION: 687FT
DRILL DEPTH: 220FT UTM X 516,465.01 UTM Y 4,224,300.50
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: LONG 1 X 2.2 MI SEC; LAKE RD 2C, SUNRISE BEACH, BY
S.W.L. (AFTER CASING): 40 FRONTIER RESORT

LOG ID:
002645

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1932/09/01 TOWNSHIP 39N RANGE 17W SECTION 9 ELEVATION: 715FT
DRILL DEPTH: 140FT UTM X 517,586.05 UTM Y 4,221,194.50
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013635**WELL TYPE

Private Well

DRILL DATE: 1955/04/27TOWNSHIP RANGE SECTION

39N

17W

9

ELEVATION: 681FTDRILL DEPTH: 80FTUTM X UTM YDEPTH TO BED: 30FT517,586.05 4,221,194.50
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 1 MI FROM HURRICANE DECKS.W.L. (AFTER CASING): 22**LOG ID:****007790**WELL TYPE

Private Well

DRILL DATE: 1942/00/00TOWNSHIP RANGE SECTION

39N

18W

25

ELEVATION: 945FTDRILL DEPTH: 180FTUTM X UTM YDEPTH TO BED: 65FT512,596.09 4,216,665.44
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: ON CLIMAX SPRINGS RD 3 MI NW OF #5, 1ST HOUSE E OF
SCHOOL HOUSES.W.L. (AFTER CASING): 140**LOG ID:****028521**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTION

39N

18W

28

ELEVATION: 830FTDRILL DEPTH: 1,042FTUTM X UTM YDEPTH TO BED:508,034.08 4,216,941.40
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 62W132S.W.L. (AFTER CASING):**LOG ID:****029002**WELL TYPE

Community Public Well

DRILL DATE: 2003/08/20TOWNSHIP RANGE SECTION

39N

18W

4

ELEVATION: 712FTDRILL DEPTH: 705FTUTM X UTM YDEPTH TO BED: 45FT508,663.98 4,224,618.42
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: No pump test data submitted.S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027281**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1973/03/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	703FT
<u>DRILL DEPTH:</u>	645FT	39N	18W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				506,980.97	4,225,401.41
<u>S.W.L. (BEFORE CASING):</u>	60	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	47	FT				

REMARKS: LONG 1 X 2.4 MI SECTION

LOG ID:**028960**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	2003/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	984FT
<u>DRILL DEPTH:</u>	400FT	39N	19W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					500,394.04	4,218,599.34
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:**018492**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,066FT
<u>DRILL DEPTH:</u>	250FT	39N	19W	30	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				495,494.07	4,216,674.31
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:**028982**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2002/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	945FT
<u>DRILL DEPTH:</u>	1,015FT	40N	16W	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					528,105.94	4,228,384.64
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018770**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

670FT

DRILL DEPTH:

165FT

40N

16W

23

DEPTH TO BED:

15FT

UTM XUTM Y

529,258.94

4,228,532.66

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

ON SUSAN RD IN HORSE SHOE BEND

S.W.L. (AFTER CASING):**LOG ID:****002862**WELL TYPE

Community Public Well

DRILL DATE:

1934/05/05

TOWNSHIPRANGESECTIONELEVATION:

686FT

DRILL DEPTH:

250FT

40N

16W

24

DEPTH TO BED:

5FT

UTM XUTM Y

531,386.92

4,229,126.69

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

#1 HUSTON, DUCKSHEAD POINT - Driller's Log Attached

S.W.L. (AFTER CASING):

42

LOG ID:**022154**WELL TYPE

Private Well

DRILL DATE:

1963/00/00

TOWNSHIPRANGESECTIONELEVATION:

694FT

DRILL DEPTH:

340FT

40N

16W

24

DEPTH TO BED:

5FT

UTM XUTM Y

531,186.92

4,228,916.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012048**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1952/10/08

TOWNSHIPRANGESECTIONELEVATION:

701FT

DRILL DEPTH:

150FT

40N

16W

26

DEPTH TO BED:

10FT

UTM XUTM Y

529,310.94

4,228,152.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3 MI SW OF LAKE OZARK, YIELD - 10-15 GPM

S.W.L. (AFTER CASING):

40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018771

WELL TYPE
Private Well

DRILL DATE: 1959/12/15 TOWNSHIP 40N RANGE 16W SECTION 26 ELEVATION: 675FT
DRILL DEPTH: 200FT UTM X 529,110.94 UTM Y 4,228,152.65
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF HWY 54 IN HORSE SHOE BEND ON LAKE RD SUSAN
S.W.L. (AFTER CASING): 70

LOG ID:
021369

WELL TYPE
Community Public Well

DRILL DATE: 1962/00/00 TOWNSHIP 40N RANGE 16W SECTION 26 ELEVATION: 786FT
DRILL DEPTH: 560FT UTM X 528,227.96 UTM Y 4,226,963.64
DEPTH TO BED: 7FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Lodge of the Four Seasons - BLACK HAWK #2 -
S.W.L. (AFTER CASING): Resort Development Company of Missouri

LOG ID:
028300

WELL TYPE
Community Public Well

DRILL DATE: 1983/11/21 TOWNSHIP 40N RANGE 16W SECTION 27 ELEVATION: 800FT
DRILL DEPTH: 1,085FT UTM X 528,109.96 UTM Y 4,227,308.64
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Lodge of the Four Seasons Well #3
S.W.L. (AFTER CASING): 231

LOG ID:
028855

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1991/06/01 TOWNSHIP 40N RANGE 16W SECTION 27 ELEVATION: 682FT
DRILL DEPTH: 1,200FT UTM X 527,368.96 UTM Y 4,227,505.63
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027304**WELL TYPE

Community Public Well

DRILL DATE: 1971/11/10TOWNSHIPRANGESECTIONELEVATION:

843FT

DRILL DEPTH: 1,155FT

40N

16W

28

DEPTH TO BED: 5FTUTM XUTM Y

525,498.96

4,227,578.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:Land of the Fifth Season Well #1 - 6 MI W OF HWY 54 ON HWY HH,
THEN 0.25 MI N ON CHEROKEE RDS.W.L. (AFTER CASING): 185**LOG ID:****025432**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

696FT

DRILL DEPTH: 305FT

40N

16W

30

DEPTH TO BED: 5FTUTM XUTM Y

522,025.97

4,228,377.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60**LOG ID:****028957**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2003/02/TOWNSHIPRANGESECTIONELEVATION:

670FT

DRILL DEPTH: 605FT

40N

16W

32

DEPTH TO BED: 50FTUTM XUTM Y

523,437.00

4,225,293.57

ZONE 15

S.W.L. (BEFORE CASING): 15REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****018778**WELL TYPE

Private Well

DRILL DATE: 1960/00/00TOWNSHIPRANGESECTIONELEVATION:

683FT

DRILL DEPTH: 145FT

40N

17W

25

DEPTH TO BED: 15FTUTM XUTM Y

521,256.98

4,227,363.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:ABT 8 MI SW OF HWY 54 IN HORSE SHOE BEND AREA, ON
SUNSET RDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028588**WELL TYPE

Community Public Well

DRILL DATE: 1983/07/21TOWNSHIP

40N

RANGE

17W

SECTION

25

ELEVATION:DRILL DEPTH: 507FTUTM XUTM YDEPTH TO BED: 20FT

520,956.98

4,227,674.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****027350**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1973/05/11TOWNSHIP

40N

RANGE

17W

SECTION

34

ELEVATION:

840FT

DRILL DEPTH: 300FTUTM XUTM YDEPTH TO BED: 30FT

517,675.99

4,226,216.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD - "GOOD PRODUCTION"S.W.L. (AFTER CASING):**LOG ID:****002450**WELL TYPE

Community Public Well

DRILL DATE: 1931/07/01TOWNSHIP

40N

RANGE

17W

SECTION

35

ELEVATION:

761FT

DRILL DEPTH: 370FTUTM XUTM YDEPTH TO BED: 10FT

518,573.99

4,226,257.52

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 150**LOG ID:****021609**WELL TYPE

Private Well

DRILL DATE: 1963/01/04TOWNSHIP

40N

RANGE

18W

SECTION

32

ELEVATION:

728FT

DRILL DEPTH: 175FTUTM XUTM YDEPTH TO BED: 30FT

505,184.94

4,227,518.39

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 43



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028919**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	2002/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	670FT
<u>DRILL DEPTH:</u>	640FT	40N	18W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				505,584.95	4,226,520.40
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:**LOG ID:****023076**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1964/02/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	70FT	40N	19W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				495,304.92	4,228,819.32
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	45					

REMARKS: IVY BEND, WIGWAM COVE**CAMDEN**